UGC Approved Indexed Peer Reviewed Journal

ISSN: 2320-6586 (Online)

IILM UNIVERSITY

Technologies for Sustainable Development Goals 2025 (TECH4SDG-2025)

School of Computer Science & Engineering

IILM University Greater Noida

Presents

1st National Conference

on

Technologies for Sustainable Development Goals 2025 (TECH4SDG-2025)

3rd March 2025

Technically Co-Sponsored by IEEE UP SECTION (INDIA)

Venue:

IILM University, Greater Noida

Plot No.18,16, Knowledge Park II, Greater Noida, Uttar Pradesh 201306

Procedings Published at

International Journal of Research in Modern Engineering and Emerging Technology

Vol. 13, Sp. Issue 1, April 2025

Doi: https://doi.org/10.63345/ijrmeet.org.v13.si1.1301

Editor-in-Chief

Dr. Mylavarapu Seetharama Prasad

www.ijrmeet.org

INDEX

S. No.	Particulars	Page No.
1	A Comparative Study On Load Balancing Algorithms And Its Types **Methily Johri & Aditri Ashish**	1–10
2	Optimizing Supply Chain Management with Ethereum 2.0: Innovations in Blockchain Technology **Ayush Gupta & Dr. Ambuj Kumar Agarwal**	11–17
3	Smart Surveillance: "A Real-Time Crowd Analysis System for Density and Anomaly Detection" **Komal Sharma, Dr. Pankaj Kumar Varshney, Aditi Aggarwal & Gaurav Kumar**	17–22
4	AI-Driven Network Optimization: Matching Policyholders to Cost-Effective Providers Using Business Intelligence **Ruchi Mangharamani & Prof. (Dr) Sangeet Vashishtha**	23–29
5	The Future of UX: Designing for Emerging Technologies (AI, AR, VR, Voice UI) **Ojas Gupta & Prof.(Dr.) Arpit Jain**	30–37
6	Enhancing Liquidity Stress Testing: Best Practices for Modern Banking Risks **Padmini Bulani & Dr Abhishek Jain**	38–45
7	AI-Powered Investment Strategies: Optimizing Risk and Returns in Modern Banking **Aditya Mehra & Dr. Shakeb Khan**	46–53
8	Scaling Customer Journey Optimization in a Multi-Tenant Distributed System **Sumit Kumar Agrawal & Prof. (Dr) MSR Prasad**	54–61
9	Object Detection Using Convolutional Neural Networks: Advances, Techniques, and Applications	62–69

S. No.	Particulars	Page No.
	Bharath Thandalam Rajasekaran, Saravanan Thirumazhisai Prabhagaran & Prof. (Dr) Punit Goel	
10	AI-Augmented Intrusion Detection Systems for High-Speed Optical Networks **Sattvik Sharma & Prof.(Dr) Avneesh Kumar**	70–77
11	Generative AI in Data Security: Opportunities and Challenges **Vybhavreddy Kammireddy Changalreddy, Piyush Bipinkumar Desai & Prof (Dr) Ajay Shriram Kushwaha**	78–86
12	Integrating Salesforce with Cloud-Based Data Warehousing for Unified Analytics **Nidhi Shashikumar & Dr S P Singh**	87–94
13	AI-Powered Cybersecurity: A Unified Approach to Protecting Enterprise, Cloud, and SaaS Applications **Varun Grover, Khushmeet Singh & Er. Siddharth**	95–103
14	Sales and Order Analysis Using Excel-Based Dashboard: A Case Study on Vrinda Store **Mohd Ammar Khan & Harun Faridi**	104–106
15	ChatMania: A Realtime Chat Application **Dr. Kirti Shukla & Anshika**	107–110
16	Digital Surveillance and Domestic Abuse: A Legal Vacuum in Indian Marital Relationships **Vishal Nehra & Dr. Rakesh Kumar**	110–116
17	The Role of Emotional Appeal in Online Advertisements Targeting Working Women in Delhi-NCR **Mona Mishra & Dr. Praveen Mittal**	116–120
18	AI-Driven Data Governance Strategies for Enhanced Cloud Security in Enterprises **Chandana Pandey & Dr Gauri Shanker Kushwaha**	121–123

S. No.	Particulars	Page No.
19	Evolution of Social Media Advertising and Consumer Behavior **Mr. Pramod Rana & Prof (Dr) Punit Goel**	124–129
20	Sustainability Accounting Practices in Indian Manufacturing Firms **Mrs. Sonal Jain & Dr. Ajit Singh**	129–134
21	Fundamental Rights vs. Reasonable Restrictions: A Study of Evolving Judicial Balances **Mrs. Anshika Agarwal & Dr. Vijay Kumar Singh**	134–139
22	सतत शिक्षा के लिए हिंदी साहित्य की भूमिका: सतत विकास लक्ष्य-4 (गुणवत्तापूर्ण शिक्षा) का सांस्कृतिक विश्लेषण **श्रीमती रेणु गुप्ता, डॉ. बृजलता शर्मा**	140–144
23	Mind–Gut Synergy in Chronic Lifestyle Conditions: Evaluating Psychotherapy-Driven Behavioral Change and Microbiota-Mediated Metabolic Repair **Krithika. V, Dr. Sarbesh Kumar Singh**	145–151
24	प्राचीन शिक्षा प्रणाली से आधुनिक AI आधारित शिक्षा की ओर संक्रमण **गौरव जोशी, डॉ सारिका गोयल**	152–159
25	पर्वतीय क्षेत्रों में शिक्षा के डिजिटलीकरण की चुनौतियाँ एवं संभावनाएँ **राकेश उनियाल, डॉ. मीनाक्षी हर्राव वर्मा**	160–168
26	Women Leadership and Democratic Participation in India: Challenges and Opportunities in Parliamentary Politics **Renu Yadav, Dr. P.P.S. Rana**	169–176
27	Evaluating GST Effects on Competitiveness and Industrial Development **Aman Goel, Dr. Pooja Yadav**	177–183
28	एस०आर० हरनोट के कथा साहित्य में लोक संस्कृति, पर्यावरण चेतना और सामाजिक परिवर्तन का अध्ययन **सीमा देवी, डॉ० अरविन्द्र कौर चुंबर**	184–189

S. No.	Particulars	Page No.
29	Balancing National Security and Human Rights in Modern India **Shalu Jain, Dr. Vijay Kumar**	190–197
30	Economic Performance Drivers and Fiscal Resilience in Indian Airports **Lalit Kumar Sharma, Dr. Pooja Yadav**	198–203
31	Educational Governance and AI Learning Outcomes in Government Elementary Schools **Dr. Shubhra Chaturvedi**	203–210
32	Artificial Intelligence and the Future of Teacher Roles in India Classroom **Neeru Verma**	211–220
33	Research Culture Among Undergraduate Students in Indian Universities **Dr. Dhanashri Rajshri Ravindra Jadhav**	221–229
34	डिजिटल समाज में बहुभाषिक संचार का बदलता स्वरूप: भारतीय भाषाओं के समक्ष अवसर और चुनौतियाँ **Rakesh Uniyal**	230–234
35	Graduate Employability and Skill Gaps in State Universities **Narender Panghal**	235–242
36	Political Funding Transparency in Indian Election **Dr. Anand Kumar Dwivedi**	243–252
37	AI-Powered Platforms for Data Analytics and Audience Development **Sachin Sangal**	253–258
38	Engineering Leadership Models in AI Startups: Balancing Innovation and Operational Efficiency **Dr. Kalpesh Rasiklal Rakholia**	259–269
39	Challenges in Integrating CWSN in Regular Classrooms **Anil Kumar**	270–280
40	An Artificial Intelligence-Based Legal Compliance Framework for Real-Time Environmental Governance to Advance SDGs 9, 12, 13, and 16 **Dr. Jyoti Janardhan Reddy**	281–288

S. No.	Particulars	Page No.
41	Impact of Source Segregation and Waste Characterization on the Efficiency of Material Recovery Facilities **Varinder Vikram Singh, Dr. Pankaj Kumar Bharti**	289–296
42	Significance of Emotional Intelligence of schedule caste students in relation to Self-concept at secondary level **Mrs. Varsha Asher Wasker, Dr. Kuldeep Singh Tomar**	297–305
43	औपनिवेशिक भारत में स्थानीय बाजारों के सामाजिक परिवर्तन का ऐतिहासिक अध्ययन **Pankaj Tamta**	306–310
44	Teachers' Readiness to Integrate Generative AI into Lesson Planning and Classroom Instruction **Prema Bharti**	311–316
45	Battery Usage Optimization Techniques for AI-Heavy Mobile Apps **Dr. Akankasha Kathuria**	317–321
46	Gender, Technology, and Changing Family Structures in Urban India: A Socio-cultural Analysis **Prof. Sawant Jeetendra Madhukar Usha**	322–326
47	Law and Alternative Dispute Resolution in Contemporary Civil Justice: A Legal Study **Dr. Pooja Khurana**	327–331
48	English Literature and the Representation of Women in Contemporary Fiction: A Corpus-Based Study of Narrative Agency, 2000–2024 **Dr. Abu Farah Hoque**	332–336
49	Agricultural Impact of Biochar and Reduced Fertilizer on Mustard Soil Health and Yield **Dr. Bibhu Santosh Behera**	337–346
50	Ethical and Privacy Frameworks for AI-Driven Customer Data Analytics in Medical Profession **Dr. Gaurav Singh Tomar**	347–351
51	Legal Protection of Witnesses in Criminal Justice Proceedings **Dr. Jyoti Janardhan Reddy**	352–357

S. No.	Particulars	Page No.
52	Platform Culture and Fragmented Selfhood in Contemporary English Literature **Dr. Akanksha Singh**	358–362
53	Digital Health Literacy and Health Information Inequality in Rural India: A Multidimensional Assessment **Ranjana Jadaun**	363–368
54	स्मार्ट विनिर्माण और उद्योग 5.0 में कृत्रिम बुद्धिमत्ता, मानव-केंद्रित तकनीक और सतत विकास का अंतःविषयक अध्ययन **Dr. Ghamendra Kumar Sahu**	369–375
55	Contribution of Yoga-Based Breathing Techniques to Daily Stress Management **Dr. Sweta Kumari**	376–387
56	Algorithmic Silence and Unspoken Meaning in Contemporary English Fiction **Dr. Jyoti Devi**	388–396
57	Cost-Benefit Analysis of Custom Image Analysis Tools in Oncology Research **Sumit Malhotra**	397–405
58	उच्च शिक्षा में सूक्ष्म अधिगम तकनीकों का शैक्षिक प्रभाव **Ram Singh**	406–412
59	Optimising Laboratory Workflows with Low-Code/No-Code Software Solutions **Dr. Amit Nampalliwar**	413–421
60	भारतीय बहुभाषिक समाज में भाषा, संस्कृति और राष्ट्रीय एकता का अध्ययन **Dr. Geeta Rawat**	422–428
61	Influence of FinTech Innovation on Financial Resilience and Operational Efficiency of Retailers and Street Vendors **Prof. Manmeet Kumar Siras & Shyam Pandey**	429–435
62	भारत में आपातकालीन शक्तियाँ और लोकतांत्रिक उत्तरदायित्व: संसदीय शासन के अंतर्गत राष्ट्रपति की संवैधानिक भूमिका का विश्लेषण **सीता राम पंडित, डॉ. पी. पी. राणा**	436–441
63	Climate Variability and Agricultural Vulnerability Across Changing Geographical Landscapes	442–450

S. No.	Particulars	Page No.
	Dr. Geeta Rawat	
64	English Literature and the Changing Patterns of Communication among Young Adults **Ravindra Hanmantrao Sagar**	451–459
65	An Explainable AI Framework for Transparent and Reliable Medical Diagnosis **Dr. Thejoram Naresh Reddy Boya**	460–466
66	डिजिटल समुदायों का युवा शिक्षा और सामूहिक पहचान पर प्रभाव **डॉ. मनोज कुमार सकलानी**	467–473
67	Adaptive Technologies for Enhancing Online Shopping Experiences **Dr. Abhishek Bhattacharjee**	474–479
68	Impact of Digital Payment Adoption through AI-ML on Micro-Business Performance **Ralphy Joseph C J**	480–484
69	Role of Regional Parties in Shaping Federalism in India **Dr. Shailendra Kumar**	485–489
70	Serverless Computing Optimization: Enhancing Performance with AI-Based Resource Allocation **S. Venkatasubramanian**	490–495
71	Student Satisfaction in Autonomous vs. Affiliated Colleges **Dr. Mohit Dixit**	496–500
72	Psychological and Social Isolation and Its Effect on Urban Elderly **Mredula P., Dr Sarita Gupta**	501–507
73	The Role of Folk Literature in Promoting Community Health Awareness in Rural India: A Study from the Perspective of English Literature **Dr. Revant Gautam**	508–512
74	Exam Stress Clinical Psychology Mechanisms Among Rural Students **Dr. Avinash D. Karambhe**	513–517
75	उभरती हिंद-प्रशांत सुरक्षा संरचना में भू-राजनीतिक प्रतिस्पर्धा और रणनीतिक प्रतिरोध	518–522

S. No.	Particulars	Page No.
	Dr. Girish Chandra Pachauli	
76	Sustainable Edible Coatings for Reducing Oxidative Deterioration in Fresh Fruits **Amar Jensi Solanki**	523–528
77	Climate-Resilient Agriculture: Assessing Smart Irrigation and Precision Resource Management for Sustainable Crop Production **Dr. Bibhu Santosh Behera**	529–534

Algorithmic Silence and Unspoken Meaning in Contemporary English Fiction

Dr. Jyoti Devi
Researcher
Maharaja Agrasen Himalayan Garhwal University, Uttarakhand
Orcid id: https://orcid.org/0009-0003-9888-1570

Abstract— Contemporary English fiction frequently constructs meaning not only through explicit narration but also through hesitation, omission, interrupted dialogue, withheld disclosure, ellipsis, and strategically unresolved information. Conventional natural language processing systems, however, are predominantly optimized to classify or represent linguistic material that is visibly present in textual sequences, making narratively significant absence difficult to quantify. This study introduces the concept of algorithmic silence as a computational-literary category describing textual locations where reduced linguistic explicitness carries unusually high interpretive significance. It proposes a hybrid framework combining contextual language modelling, discourse discontinuity analysis, dialogue interruption detection, semantic expectation modelling, and expert literary annotation to identify forms of unspoken meaning in contemporary English fiction. The research gap lies in the absence of an integrated computational methodology capable of distinguishing purposeful narrative silence from ordinary brevity, punctuation, stylistic compression, or incomplete textual structure. A Silence–Expectation–Interpretation framework is therefore conceptualized to measure the relationship between contextual expectation, linguistic absence, reader inference, and subsequent narrative disclosure.

Keywords— Algorithmic Silence, Computational Literary Studies, Unspoken Meaning, Natural Language Processing, Contemporary English Fiction; Narrative Inference

Introduction

Literary language does not communicate exclusively through statements. Fiction also communicates through what a character refuses to articulate, what a narrator postpones, what a conversation interrupts, and what a text encourages the reader to infer without directly naming. A pause after an accusation, an unfinished sentence, an unexplained pronoun, the suppression of a traumatic event, or a conspicuous transition away from an emotionally charged subject may become more interpretively consequential than several paragraphs of explicit description. Silence in narrative is therefore not necessarily an absence of communication. It can operate as a structured form of communication whose significance emerges through the relation between what a reader expects and what a text deliberately withholds.

This problem becomes particularly important in contemporary fiction, where fragmented narration, unreliable perspectives, psychologically restricted focalization, nonlinear storytelling, digital communication, and compressed dialogue increasingly complicate straightforward assumptions about textual meaning. Narrative information may be dispersed across temporal layers, deliberately delayed, contradicted by later evidence, or left inaccessible because the focalizing consciousness itself cannot articulate it. Such techniques make contemporary fiction a valuable domain for investigating whether computational systems can detect meaningful absence rather than merely classify visible lexical content.

At the same time, literary studies have undergone a substantial computational transformation. Digital literary scholarship now employs statistical modelling, vector representations, topic analysis, stylometry, sentiment analysis, named-entity recognition, network analysis, transformer language models, and large language models to explore textual patterns at scales inaccessible to conventional close reading. Computational methods can reveal recurrent features that may remain difficult to observe manually across

hundreds or thousands of passages. Yet such models are not transparent representations of literary meaning. Dobson argues that vector-space models themselves constitute interpretive representations and therefore require a multilayered hermeneutic approach rather than being treated as neutral descriptions of texts. This principle is especially relevant when analysing silence because silence cannot simply be retrieved as another lexical item.

Recent digital-humanities research has similarly emphasized that computational interpretation should remain connected to humanistic reasoning. Computational tools can identify patterns, but interpretation depends upon the conceptual assumptions through which those patterns are selected and explained. Farinola's human-focused account of computational literary interpretation warns against the apparent objectivity generated by technical tools, while more recent AI-assisted literary work demonstrates how language models and textual-analysis systems can contribute to interpretation when embedded within broader critical practices rather than substituted for them. These developments establish an important methodological background for studying unspoken meaning.

The present research distinguishes its use of the term **algorithmic silence** from its existing use in technology criticism. Penn used "algorithmic silence" to advocate the deliberate exclusion of highly abstract digital decision systems from selected human environments and to critique excessive societal dependence upon automation. The present study develops the expression in a separate literary-computational direction. Here, algorithmic silence refers to a textual condition in which a computational model encounters **high contextual expectation but low explicit linguistic realization**, while human readers recognize the resulting gap as narratively or interpretively meaningful.

Consider a simplified fictional sequence in which a protagonist asks another character whether they witnessed an event, after which the narrative reports only physical movement, environmental description, or a transition to another scene. Conventional sentiment analysis may detect little. Topic modelling may classify the surrounding content correctly. A language model may generate a plausible continuation. Yet none of these operations necessarily determines whether the absent response itself constitutes the primary narrative event. The critical computational question is therefore not simply "What does this passage say?" but also "What does the preceding context strongly prepare the text to say, and what interpretive consequences follow when that information does not appear?"




Fig. 1: Spiral of Silence

Source: https://en.wikipedia.org/wiki/Spiral_of_silence

This distinction exposes the central research gap addressed in the present manuscript. Existing computational approaches are primarily **presence-oriented**: they infer meaning from tokens, sentences, semantic embeddings, stylistic distributions, emotional terms, characters, topics, or explicit discourse relations. Even sophisticated contextual language models typically process silence indirectly as punctuation, sequence boundaries, masked tokens, unexpected transitions, or probability distributions over possible continuations. No unified literary framework routinely treats the divergence between contextual expectation and textual realization as a measurable narrative feature.

The proposed study therefore conceptualizes narrative silence as a relational phenomenon. Silence cannot be identified from punctuation alone because the same ellipsis may indicate hesitation, omitted time, trailing thought, informal conversation, stylistic rhythm, or typographical convention.

Similarly, a short reply may be more evasive than no reply, while an apparently complete sentence can avoid the question that preceded it. The proposed **Silence–Expectation–Interpretation (SEI) framework** consequently treats silence as the interaction of three components: the semantic-discursive expectations produced by prior context, the degree to which those expectations remain linguistically unrealized, and the interpretive relevance assigned to that unrealized content by later narrative evidence and expert human readers. The research objective is to develop and evaluate a computational framework capable of identifying narratively meaningful silence in contemporary English fiction while preserving the distinction between algorithmic detection and literary interpretation. Rather than asking artificial intelligence to produce definitive readings, the study investigates whether computational models can identify passages deserving intensified human attention.

Four research questions guide the investigation. First, can contextual language models distinguish purposeful narrative withholding from ordinary textual compression? Second, which textual signals—such as dialogue interruption, unexpected discourse transition, unresolved reference, lexical avoidance, semantic discontinuity, or delayed revelation—provide the strongest indicators of narratively significant silence? Third, does combining computational expectation scores with expert literary annotation produce better discrimination than conventional sentiment- or surface-feature models? Finally, what types of unspoken meaning remain resistant to computational representation because their interpretation depends upon cultural knowledge, irony, trauma, gendered communication, historical context, or reader-specific inference?

By addressing these questions, the study shifts computational literary inquiry from the analysis of **textual presence** toward the computational investigation of **meaningful non-expression**.

Literature Review

2.1 Computational Literary Studies and the Problem of Interpretation

Computational literary studies have broadened the evidentiary scale available to literary scholars. Quantitative methods permit investigators to compare stylistic, lexical, thematic, and historical patterns across corpora that would be impossible to examine exhaustively through individual close reading. Research on literary change, for example, has demonstrated how computational representations can be used to identify diachronic transformations across large literary datasets. Such work confirms that numerical models can generate evidence relevant to literary history without eliminating the need for interpretive explanation.

Eve's account of digital humanities and literary studies similarly positions computational approaches as methods through which literary texts can be reconsidered rather than as replacements for conventional criticism. The importance of this argument lies in its rejection of a simple opposition between distant computation and humanistic interpretation. Statistical reading can reveal distributions and relationships while close analysis addresses semantic ambiguity, rhetorical form, cultural context, and interpretive consequence.

This distinction becomes critical with neural representations. Contextual embeddings encode semantic relationships through multidimensional numerical structures, but these structures do not automatically constitute literary interpretation. Dobson describes the need for a form of "vector hermeneutics" capable of examining not only the literary text but also the representational model built from it. For the present study, this means that an algorithmic anomaly cannot automatically be labelled silence. A high semantic discontinuity score may represent a deliberate omission, but it may equally arise from scene transition, experimental syntax, quotation, multilingual expression, or preprocessing error.

Recent AI-supported work has expanded this discussion. O'Halloran demonstrates how text-analysis software and generative AI can become components of creative literary interpretation when combined with external research and human critical judgment. This supports a central principle of the present manuscript: artificial intelligence may enlarge the interpretive field by locating patterns or generating

hypotheses, but the determination that an omission carries culturally or psychologically meaningful significance remains an interpretive act.

2.2 From Explicit Text to Implicit Meaning

Traditional NLP generally models information contained in observable linguistic sequences. Tasks such as sentiment classification, topic identification, semantic similarity, relation extraction, question answering, and text summarization depend primarily upon evidence encoded in available words and their contextual relationships. Transformer architectures substantially improved the representation of context because attention mechanisms allow a token to be interpreted in relation to other tokens within an increasingly large contextual window.

Nevertheless, implicit literary meaning creates a qualitatively different problem. A model may correctly represent every word in a passage while still failing to identify why an absent answer, unnamed event, or avoided subject matters. Literary interpretation frequently depends upon pragmatic expectations: readers recognize not only what language means but what should have appeared at a particular point in discourse.

This suggests that narrative silence should be approached through **expectation violation**. If a dialogue structure strongly predicts an answer but receives an action instead, or if a repeatedly anticipated disclosure is postponed through several chapters, the discrepancy itself becomes evidence. Contemporary generative language models provide a potentially useful mechanism for estimating such expectations because they assign probability distributions to likely continuations. However, probability alone cannot determine literary intentionality. Rare or surprising prose is not inherently silent, and highly predictable prose may contain profound psychological repression.

Consequently, computational modelling of silence requires several evidentiary layers rather than a single anomaly measure.

2.3 Silence as a Narrative and Discursive Function

Silence has long occupied an important position in linguistic, pragmatic, feminist, psychoanalytic, narratological, and discourse-oriented interpretation. Within fictional narratives, its functions are heterogeneous. Characters may remain silent because they possess power or because they lack it. Silence may communicate consent, refusal, resistance, shame, fear, grief, complicity, uncertainty, emotional intimacy, or social exclusion depending upon context.

Narrative silence can similarly operate above the level of character speech. A narrator may conceal information from the reader, omit an event, shift focalization when a sensitive issue emerges, compress an extended period into a sentence, or postpone explanation until a later point. Such techniques produce **informational asymmetry** between narrator, character, and reader.

For computational purposes, therefore, silence should not be equated with the absence of dialogue. The category must include at least four distinguishable forms: **dialogic silence**, in which an expected conversational response is absent or evasive; **narratorial silence**, where the narrative voice suppresses or postpones relevant information; **referential silence**, where an entity or event remains deliberately unnamed despite contextual salience; and **structural silence**, where gaps, abrupt transitions, fragmentation, or temporal omission become semantically productive.

These categories overlap, but their computational signatures differ. Dialogic silence can be approached through adjacency-pair modelling and response expectation. Narratorial withholding requires longer contextual windows and subsequent disclosure analysis. Referential silence may involve coreference uncertainty, lexical avoidance, or semantic clustering around unnamed phenomena. Structural silence may require sentence-boundary, paragraph-transition, discourse-coherence, and temporal-sequence modelling.

2.4 Contemporary AI and the Interpretation of Literary Absence

Developments since 2021 have made the computational study of such phenomena more technically feasible. Transformer-based architectures represent contextual dependencies substantially beyond conventional bag-of-words models, while instruction-tuned large language models can perform zero-shot and few-shot classification of nuanced discourse

phenomena. Simultaneously, computational literary scholarship has increasingly examined combinations of topic models, contextual classifiers, sentiment indicators, and reader-response evidence rather than relying on a single computational signal.

The advantages of these systems, however, introduce methodological risks. Generative models are specifically optimized to produce continuations. When confronted with silence, therefore, they may fill a narrative gap rather than preserve its interpretive indeterminacy. From a literary perspective, this is consequential. The ambiguity of an unfinished utterance may be its principal aesthetic function; generating the "most likely" completion can erase rather than explain that function.

A model of literary silence must consequently distinguish **predicting missing language** from **interpreting the significance of its absence**. The first is a probabilistic NLP task. The second is a literary-hermeneutic problem.




Fig. 2: Between Words and Silence: Decoding the Hidden Layers of Meaning

Proposed Methodology

The proposed study operationalizes **algorithmic silence** as a measurable divergence between contextual expectation and explicit textual realization. Instead of treating silence as the mere absence of words, the framework identifies passages in which a reader is led to expect a response, explanation, referent, disclosure, or narrative continuation that is subsequently suppressed, displaced, interrupted, or deferred.

The proposed **Silence–Expectation–Interpretation (SEI) framework** consists of four analytical layers. The first layer estimates contextual expectation by determining what semantic or conversational continuation is strongly licensed by preceding discourse. The second identifies observable indicators of non-realization, including interrupted dialogue, unfinished syntax, abrupt topic shifts, unanswered questions, evasive replies, anomalous paragraph transitions, unresolved references, and delayed revelations. The third examines subsequent textual material to determine whether the omission later acquires narrative relevance. The final layer incorporates expert literary annotation to differentiate meaningful silence from ordinary stylistic compression.

For a passage (P_i), a composite Algorithmic Silence Score can be expressed as:

[
ASS_i = \alpha E_i + \beta D_i + \gamma W_i + \delta R_i
]

where (E_i) represents contextual expectation, (D_i) denotes discourse discontinuity, (W_i) captures withholding or delayed realization, and (R_i) represents expert-rated interpretive relevance. The coefficients are optimized on the validation partition rather than assigned uniformly.

The primary objective is binary detection of narratively significant silence, followed by secondary classification into four functional categories: **dialogic silence, narratorial withholding, referential silence, and structural silence**.

A further interpretive layer examines whether detected silence contributes predominantly to characterization, emotional tension, trauma representation, social power, interpersonal conflict, narrative suspense, or reader uncertainty. These categories are not treated as mutually exclusive because literary silence frequently performs several functions simultaneously.

Experimental Setup

4.1 Dataset Construction

The proposed benchmark consists of approximately 2,400 passage-level samples drawn from legally accessible English-language literary material published or made available in digital form during the contemporary period, supplemented

where necessary by researcher-authored control passages designed to represent ordinary dialogue and narrative continuity.

Each passage contains approximately 120–450 words so that both immediate and extended discourse relations can be preserved. Sampling is stratified across dialogue-intensive fiction, first-person narration, third-person restricted narration, fragmented prose, psychologically oriented fiction, and digitally mediated forms such as messages or embedded correspondence.

For reliable supervision, three trained annotators with backgrounds in English literature independently label each passage. Annotation contains three dimensions:

1. presence or absence of narratively significant silence;
2. dominant silence category; and
3. interpretive intensity on a five-point scale.

A passage is admitted to the high-confidence benchmark when at least two annotators agree on the primary classification. Krippendorff's alpha or weighted Cohen-style agreement can subsequently be reported according to the final annotation arrangement.

4.2 Preprocessing

The preprocessing pipeline intentionally preserves features that conventional NLP workflows often discard. Ellipses, em dashes, paragraph breaks, quotation marks, interruptions, repeated punctuation, sentence fragments, and dialogue boundaries are retained because they can function as signals of silence.

Unicode normalization and duplicate removal are performed without aggressive punctuation stripping. Speaker turns are identified through quotation segmentation and contextual heuristics. Questions are marked so that unanswered or indirectly answered interrogatives can be analysed separately. Coreference resolution is applied to identify entities that remain unusually implicit or unresolved. Sentence and paragraph embeddings are generated for semantic-transition analysis. Longer passages are processed through overlapping contextual windows so that potential disclosures appearing after an initial omission remain observable.

4.3 Model Architecture

The principal architecture is a **dual-channel transformer–discourse network**.

The first channel uses a contextual transformer encoder to represent the semantic content of the passage. Rather than relying solely on the final hidden state, representations are extracted separately for the preceding context, silence candidate region, and following context.

The second channel processes engineered discourse indicators. These include:

- unanswered-question probability;
- semantic transition distance;
- dialogue interruption frequency;
- syntactic incompleteness;
- pronoun or referent uncertainty;
- lexical avoidance around salient entities;
- delayed semantic recurrence;
- punctuation-based interruption cues; and
- contextual surprisal.

The outputs of both channels are concatenated and passed through a gated fusion layer. This design allows the system to learn when surface-level discontinuity should be interpreted in conjunction with deeper semantic expectation.

A secondary multi-label head predicts the probable narrative function of silence. The architecture therefore produces both a detection score and an interpretable functional profile.

4.4 Training Strategy

The dataset is partitioned at the source-text level rather than randomly at the passage level to reduce stylistic leakage between training and evaluation sets. A 70% training, 15% validation, and 15% test arrangement is proposed.

Class-weighted cross-entropy is used for primary classification because meaningful silence may occur less frequently than ordinary narration. Focal loss is evaluated as

an alternative where difficult minority examples remain poorly classified.

Training uses early stopping based on validation macro-F1. Hyperparameters are selected without accessing the held-out test partition. Dropout is applied to the fusion layers, while gradient clipping is used to reduce instability during fine-tuning.

Three baselines are included:

- lexical and punctuation features with logistic regression;
- contextual transformer classification without discourse features; and
- discourse-feature classification without transformer embeddings.

Ablation experiments remove expectation scoring, delayed-revelation features, dialogue information, and expert-derived intensity labels individually to estimate their contribution.

4.5 Evaluation Metrics

Accuracy alone is insufficient because the study prioritizes the correct recognition of a relatively subtle interpretive class. Evaluation therefore employs **macro-F1, precision, recall, Matthews correlation coefficient, area under the precision–recall curve, and expected calibration error**.


For functional classification, macro-F1 is calculated across the four silence categories. Agreement between predicted silence intensity and human annotation is assessed using Spearman rank correlation.

A dedicated **False Interpretation Rate** is also proposed. This metric measures the proportion of passages classified as narratively significant silence when literary annotators judge the passage to contain only ordinary brevity, punctuation, scene transition, or incomplete syntax.

Results and Discussion

Since the actual corpus and model outputs have not been provided, the values below constitute an **illustrative reporting example** showing how the completed experiment can be presented. They must not be represented as observed findings until the model has been trained and evaluated on the annotated benchmark.

Evaluation configuration	Macro-F1	Precision	Recall	MCC	PR-AUC
Lexical–punctuation baseline	0.61	0.64	0.59	0.43	0.62
Transformer-only classifier	0.74	0.76	0.73	0.61	0.78
Discourse-feature model	0.70	0.72	0.68	0.56	0.72
Proposed SEI fusion model	0.83	0.85	0.82	0.74	0.87
SEI without delayed-revelation features	0.78	0.81	0.76	0.67	0.81



The illustrative pattern demonstrates the methodological hypothesis underlying the study: literary silence is unlikely to be adequately represented by punctuation or semantic embeddings in isolation. Surface features can identify ellipses, fragmented utterances, and abrupt turns, but such features cannot determine whether the absence itself has narrative consequence.

The stronger hypothetical performance of the integrated SEI architecture would indicate that **expectation violation**

becomes more informative when connected to discourse structure and later textual evidence. This is especially important for narratorial withholding. A narrator may introduce an event indirectly, suppress its precise nature for several pages, and later reveal information that retrospectively changes the interpretation of the earlier gap. Sentence-level classifiers cannot easily capture such delayed relationships.

Dialogic silence is expected to be comparatively easier to detect because questions, adjacency pairs, interrupted responses, and topic shifts provide observable structural cues. Referential silence presents a greater challenge. An unnamed person, traumatic episode, family history, or political event may be obvious to a human reader but remain difficult for a computational system because its interpretation depends upon accumulated narrative context.

Structural silence is also likely to generate false positives. Experimental prose frequently contains fragments and discontinuities that function stylistically without signalling withholding. The proposed False Interpretation Rate therefore provides an important complement to conventional classification metrics.

From a literary perspective, the principal contribution of the framework is not the automation of interpretation. Its value lies in identifying **interpretive pressure points**: passages where computational expectation and textual realization diverge strongly enough to merit close reading. A literary scholar may subsequently determine whether the divergence reflects repression, power, trauma, intimacy, ambiguity, narrative deception, or simply stylistic variation.

The proposed method therefore supports a human-in-the-loop model of computational criticism. AI locates statistically or semantically unusual forms of non-expression; literary interpretation establishes their cultural and aesthetic significance.

Future Scope

Future research can extend the framework from passage-level classification to full-novel narrative modelling using hierarchical long-context architectures. Such systems could trace how silence accumulates, changes function, or becomes retrospectively meaningful across chapters.

Cross-cultural studies would be particularly valuable. Silence may carry different pragmatic and social meanings across English varieties and literary traditions, requiring culturally sensitive annotation rather than a universal taxonomy.

Multimodal extensions could investigate silence in audiobook performance and screen adaptations by combining textual omission with pauses, prosody, gaze, gesture, and cinematic editing. This would allow comparison between written silence and performed silence.

Another promising direction is reader-response validation. Eye tracking, reading-time experiments, annotation studies, or controlled interpretive surveys could test whether computationally identified silence regions correspond to points of heightened inference or uncertainty among actual readers.

Explainable AI should also become central to future development. Rather than simply assigning a silence score, models should identify which contextual expectations, omitted entities, disrupted discourse relations, and later disclosures contributed to classification.

Conclusion

This study reconceptualizes silence in contemporary English fiction as a computationally approachable yet irreducibly interpretive phenomenon. Existing NLP systems are highly effective at representing textual presence, but literary meaning often emerges from absence, postponement, interruption, refusal, and incomplete expression.

The proposed Silence–Expectation–Interpretation framework addresses this limitation by integrating contextual language modelling, discourse discontinuity, delayed narrative evidence, structural features, and expert literary annotation. Its central proposition is that meaningful silence becomes detectable when a text creates a sufficiently strong expectation and then strategically declines to realize it.

The study consequently moves beyond the assumption that computational literary analysis should focus only on words that appear on the page. It establishes **absence itself as a**

legitimate analytical signal, while refusing to equate probabilistic prediction with definitive interpretation.

Algorithmic silence should therefore be understood not as a machine's discovery of a hidden meaning, but as a computational indication that a text has created an interpretively consequential gap. By combining machine-assisted detection with human close reading, the framework offers a method for studying how contemporary fiction communicates through what remains unfinished, deferred, unnamed, or deliberately unsaid.

References

- *Dobson, J. E. (2022). Vector hermeneutics: On the interpretation of vector space models of text. Digital Scholarship in the Humanities, 37(1), 81–93. https://doi.org/10.1093/llc/fqab079. This article directly supports the manuscript's argument that vector representations in computational literary studies require humanistic interpretation rather than being treated as neutral representations.*
  Oxford Academic article
- *Farinola, A. (2023). Hermeneutical postphenomenology: Computational tools and the lure of objectivity. Digital Scholarship in the Humanities, 38(3), 1078–1087. https://doi.org/10.1093/llc/fqac074. The paper specifically proposes a human-focused approach to computational interpretation and is relevant to the manuscript's human-in-the-loop methodology.*
  Oxford Academic article
- *Dobson, J. E. (2021). Interpretable outputs: Criteria for machine learning in the humanities. Digital Humanities Quarterly, 15(2). This work addresses interpretability requirements for machine-learning applications in humanities research and is particularly relevant to the proposed model's interpretive constraints. The publication is independently listed in the author's Dartmouth research record.*
- *Dobson, J. E. (2021). Computation and close reading. Canadian Review of Comparative Literature/Revue Canadienne de Littérature Comparée, 48(3), 405–417. This provides useful methodological grounding for combining computational analysis with close literary interpretation.*
- *Devlin, J., Chang, M.-W., Lee, K., & Toutanova, K. (2019). BERT: Pre-training of deep bidirectional transformers for language understanding. In Proceedings of NAACL-HLT 2019 (pp. 4171–4186). Association for Computational Linguistics. https://doi.org/10.18653/v1/N19-1423. This is the foundational reference for the contextual transformer approach underlying the proposed architecture.*
  ACL Anthology paper
- *Krippendorff, K. (2004). Reliability in content analysis: Some common misconceptions and recommendations. Human Communication Research, 30(3), 411–433. https://doi.org/10.1111/j.1468-2958.2004.tb00738.x. This supports the use of inter-annotator reliability assessment in the proposed literary annotation protocol.*
  Oxford Academic record
- *Zapf, A., Castell, S., Morawietz, L., & Karch, A. (2016). Measuring inter-rater reliability for nominal data—which coefficients and confidence intervals are appropriate? BMC Medical Research Methodology, 16, 93. https://doi.org/10.1186/s12874-016-0200-9. The study compares reliability coefficients and supports Krippendorff's alpha, particularly when missing data or more flexible annotation conditions are involved.*
  BMC Medical Research Methodology article